

PORCELAIN SLABS



Porcelain Slabs

BY EURO TILE & STONE

EURO TILE & STONE PRESENTS AN EXCLUSIVE COLLECTION OF PORCELAIN SLABS. SOURCED FROM ITALY AND SPAIN, OUR LARGE SELECTION OF IN STOCK AND INFINITE NUMBER OF SPECIAL-ORDER SLABS, ENSURES YOU HAVE ACCESS TO ALL THE LATEST DESIGN POSSIBILITIES.


WITH THIS CATALOG WE ARE EXCITED TO SHOW YOU THE ENDLESS APPLICATIONS AND NEW TECHNOLOGIES MAKING PORCELAIN SLABS THE MOST DESIRABLE PRODUCT OF THE PRESENT AND FUTURE.



SURFACES FOR *life*

FULLVEIN

New Technology



FULLVEIN TECHNOLOGY RECREATES THE VEINS OF A MARBLE SURFACE THROUGH THE ENTIRE THICKNESS OF THE SLAB, REPLICATING THE VISUAL EFFECT OF NATURAL STONE.

THIS TECHNICAL EVOLUTION ENSURES CONTINUITY BETWEEN THE BODY AND SURFACE OF THE SLAB. THE VISUAL EFFECT OF THE VEINS REMAIN UNALTERED EVEN AFTER FABRICATION JUST LIKE WITH NATURAL MARBLE.

FULLBODY

New Technology



THANKS TO CUTTING-EDGE PORCELAIN BODY MIXING AND PRESSING SYSTEMS, FULLBODY TECHNOLOGY PERFECTLY RECREATES THE COMPLEX STRUCTURE OF NATURAL STONE MATERIAL, MIMICKING THE BEAUTY OF STONE BOTH ON THE SURFACE AND IN THE BODY OF THE SLAB. THE CONTINUITY BETWEEN THE BODY AND SURFACE ENSURES THE VISUAL EFFECT REMAINS UNALTERED EVEN AFTER THE FABRICATION PROCESS.

APPLICATIONS



COUNTERTOPS



FLOORING




FURNITURE



WALL COVERINGS



BUILDING



FACADE

WATERPROOF AND NON-POROUS, PORCELAIN SLABS ARE HIGHLY HYGIENIC AND DO NOT SUFFER FROM DETERIORATION. THE HIGH RESISTANCE TO SCRATCHES AND STAINS ALLOWS A VAST USE OF THE PRODUCT AS A COUNTERTOP AND FURNISHING SURFACE, WHILE THE INALTERABILITY TO HIGH AND LOW TEMPERATURES AND TO PROLONGED WEATHER EXPOSURE, ALLOWS THE APPLICATION IN DIFFERENT ENVIRONMENTS. RELIABILITY AND QUALITY ARE ALSO CONCRETELY EVIDENT THROUGHOUT THE COLLECTION.

KITCHEN

PORCELAIN SLABS ARE A SMART SOLUTION FOR CREATING KITCHEN COUNTERTOPS AS THEY ARE RESISTANT TO HEAT, SCRATCHES AND STAINING. THEY ARE ALSO EASY TO CLEAN AND MAINTAIN WHILE BEING RESISTANT TO CHEMICALS.



STAIN RESISTANT



HEAT RESISTANT



HYGENIC



ECOLOGIC



EASY TO CLEAN



NON-ABSORBENT



SCRATCH RESISTANT



CHEMICAL RESISTANT

COOKING SURFACE PRIME

Discover the new invisible induction system

THE CONCEALED INDUCTION SYSTEM ENHANCES THE AESTHETICS OF THE KITCHEN COUNTERTOP, WHICH CAN NOW BE SEAMLESSLY INTEGRATED WITH ALL THE OTHER KITCHEN SURFACES.

WITH A WIDE RANGE OF 20MM SLABS AVAILABLE TO COMPLEMENT YOUR COOKTOP, YOU CAN CREATE A LOOK THAT FULLY REFLECTS YOUR LIFESTYLE.





INTEGRATED INDUCTION COOKING SYSTEMS WORK BY CREATING A MAGNETIC FIELD BETWEEN THE POT AND THE MAGNETIC COILS BENEATH THE COOKING SURFACE. THE ENERGY CREATED IN THE ELECTROMAGNETIC FIELD HEATS THE POT.

THIS INDUCTION PROCESS CONSUMES UP TO 20% LESS ENERGY THAN OTHER COOKING METHODS.

TO ENABLE YOU TO INSTANTLY LOCATE THE DIFFERENT SIZED COOKING ZONES ON THE INVISIBLE COOKTOP, CHOOSE FROM SIX GRAPHIC DESIGNS SUITABLE FOR ANY TYPE OF KITCHEN.

WHEN NOT IN USE FOR COOKING, USE THIS SPACE AS YOU WOULD THE REST OF THE COUNTERTOP GIVING YOU BACK MORE SURFACE AREA TO ENJOY.

FOR MORE INFORMATION PLEASE ASK FOR THE COMPLETE COOKING SURFACE PRIME CATALOG.





KITCHEN Continued

COORDINATING COUNTERTOPS AND
BACKSPLASHES AVAILABLE

DIFFERENT THICKNESSES FOR
CLADDING COORDINATED
FURNITURE



TECHNICALLY PERFECT
SURFACES FOR
EXPERIENCING OUTDOOR
SPACES



BATHROOM

PORCELAIN SLABS PERFORM VERY WELL IN A BATHROOM ENVIRONMENT. EVERY FURNISHING ITEM, SUCH AS SINKS, COUNTERTOPS AND SHOWER TRAYS, CAN BE TAILOR-MADE ENHANCING THE BEAUTY AND QUALITY OF THE SURFACES



STAIN RESISTANT



NON-ABSORBENT



HYGENIC



ECOLOGIC



EASY TO CLEAN



CHEMICAL RESISTANT




FURNITURE

THANKS TO THE WIDE RANGE OF EFFECTS AND FINISHES, PORCELAIN SURFACES ARE VERY POPULAR IN INTERIOR DESIGN.

A GREAT ALTERNATIVE TO NATURAL MARBLE TOPS, THE SLABS CAN BECOME THE MAIN FEATURE OF DINING TABLES, OFFICE DESKS, COFFEE TABLES, SHELVES AND BOOKCASES, BOTH IN RESIDENTIAL AND COMMERCIAL LOCATIONS.



 HIGH RESISTANCE TO BREAKING LOAD

 EASY TO CLEAN

 RESISTANCE TO BENDING

 ECOLOGIC

 SCRATCH RESISTANT

FLOOR & WALL

IT IS POSSIBLE TO COVER FLOORS AND WALLS WITH DIFFERENT MATERIAL EFFECTS RANGING FROM CEMENT, METAL, TO STONE AND MARBLE, BOTH IN RESIDENTIAL AND PUBLIC SPACES, INCLUDING HOTELS, RESTAURANTS AND RETAIL PROJECTS AS WELL AS BATHROOMS, WELLNESS & SPAS.



NON-ABSORBENT



EASY TO CLEAN



ECOLOGIC



BUILDING

STEPS, THRESHOLDS AND
WINDOWSILLS BECOME
BEAUTIFUL CONSTRUCTION
DETAILS.



EASY TO CLEAN



HIGH RESISTNACE
TO BREAKING LOAD



SCRATCH
RESISTANT




ECOLOGIC



FACADE

PORCELIAN SLABS COME IN 3 DIFFERENT THICKNESSES IN ORDER TO BEST MEET THE NEEDS OF THE CONSTRUCTION INDUSTRY, INCLUDING EXTERIOR WALL COVERINGS, BOTH GLUED AND VENTILATED.



COLORS UNAFFECTED BY UV RAYS



FROST RESISTANT



NON-ABSORBENT




ECOLOGIC

RANGE



MARBLE



STONE




METAL



CONCRETE



WOOD




SOLID COLORS


THICKNESS

6MM | 12MM | 20MM

FINISHES



NATURAL



SOFT



LUX



HONED
POLISHED

SIZES



65"X129" NR
63"X126"
59"X126"



48"X112"
48"X106"
39"X98"

ALL SLABS RECTIFIED
UNLESS SPECIFIED WITH
"NR"



COUNTERTOP:
STATUARIO SUPERIOR
FULLVEIN

STATUARIO SUPERIOR FULLVEIN



IN
STOCK



20MM - 65"X 129" NR
SOFT | LUX

CALACATTA MAGNIFICO FULLVEIN



IN
STOCK



20MM - 65"X 129" NR
SOFT | LUX



COUNTERTOP:
CORCHIA GOLD

CORCHIA GOLD



IN STOCK

6MM - 48" X 112"
SOFT | LUX

12MM - 65"X 129" NR
SOFT | LUX

12MM - 65"X 129" NR
SOFT | LUX


ANTIQUÉ WHITE



IN STOCK

12MM - 65"X 129" NR
SOFT | LUX
BOOKMATCH
SOFT | LUX

12MM - 65"X 129" NR
SOFT | LUX



CRISTALLO AMBER




IN STOCK

6MM - 48" X 112"
SOFT | LUX

12MM - 65" X 129" NR
SOFT | LUX


BLANC DE BLANC



IN STOCK

6MM - 48" X 106"
SOFT | LUX
BOOKMATCH
SOFT | LUX

12MM - 65" X 129" NR
SOFT | LUX
BOOKMATCH
SOFT | LUX



LASA SAPPHIRE



IN STOCK

6MM - 48" X 112"
SOFT | LUX

12MM - 65" X 129" NR
SOFT | LUX

MONT BLANC



IN STOCK

6MM - 48" X 106"
SOFT | LUX

12MM - 65" X 129" NR
SOFT | LUX
BOOKMATCH
SOFT | LUX

20MM - 65" X 129" NR
SOFT | LUX





COUNTERTOP +
FEATURE WALL:
CALACATTA EMERALD

EMERALD GREEN



IN STOCK

6MM - 48"X106"
LUX

12MM - 65"X 129" NR
SOFT | LUX


CALACATTA EMERALD



IN STOCK

6MM - 48" X 112"
SOFT | LUX

12MM - 65"X 129" NR
SOFT | LUX
BOOKMATCH
SOFT | LUX





COUNTERTOP+ BACKSPLASH:
INVISIBLE PEARL SELECT

GREYLAC PLATINUM



IN
STOCK

6MM - 48" X 112"
SOFT | LUX

12MM - 65"X 129" NR
SOFT | LUX

INVISIBLE PEARL SELECT



IN
STOCK

6MM - 64"X 128"
SOFT | LUX

12MM - 65"X 129"
SOFT | LUX

20MM - 65"X 129" NR
SOFT

BRECCIA MELANGE



IN
STOCK

6MM - 64"X 128"
LUX

STATUARIO SUPERIOR VERSILIA




IN
STOCK

6MM - 64"X 128"
SOFT | LUX

12MM - 65"X 129" NR
SOFT | LUX
BOOKMATCH
SOFT | LUX
20MM - 65"X 129" NR
SOFT | LUX




GRAND ANTIQUE



IN
STOCK

6MM - 64"X 128"
LUX


CLASSIC MARQUINA SELECT



IN
STOCK

6MM - 64"X 128"
SOFT | LUX

12MM - 65"X 129" NR
SOFT | LUX
BOOKMATCH
SOFT | LUX
20MM - 65"X 129" NR
SOFT | LUX





COUNTERTOP:
BLEU DE SAVOIE

SUPERWHITE



IN
STOCK

12MM - 65"X 129" NR
SOFT | LUX

BLEU DE SAVOIE



IN
STOCK

12MM - 65"X 129" NR
LUX | NATURAL

20MM - 65"X 129" NR
LUX | NATURAL

GREY GRAPHITE



IN
STOCK

6MM - 48"X106"
SOFT | LUX

12MM - 65"X 129" NR
SOFT | LUX

20MM - 65"X 129" NR
SOFT | LUX


NERO MARQUINA



IN
STOCK

6MM - 63"X 126"
LUX

BLACK TAURUS




IN STOCK

6MM - 48" X 106"
LUX

12MM - 65" X 129" NR
SOFT | LUX

NOIR LAURENT



IN STOCK

12MM - 65" X 129"
SOFT | LUX

20MM - 65" X 129" NR
SOFT | LUX



COUNTERTOP:
TRAVERTINO NAVONA


TRAVERTINO NAVONA



IN
STOCK

12MM - 65"X 129" NR
NATURAL

BLANC ARABESCATO



IN STOCK

6MM - 48"X 106"
NATURAL

BLANC INVISIBLE



IN STOCK

6MM - 48"X 106"
NATURAL

BLANC CALACATTA



IN STOCK

6MM - 48"X 106"
NATURAL

LARSEN



IN STOCK

6MM - 59"X 126"
NATURAL | HONED POLISHED
BOOKMATCH
NATURAL | HONED POLISHED
6MM - 39"X 98"
NATURAL

12MM - 59"X 126" NR
NATURAL | HONED POLISHED
BOOKMATCH
NATURAL | HONED POLISHED



SYROS



IN STOCK

6MM - 59"X 126"
NATURAL | HONED POLISHED

TOUCHE




IN STOCK

6MM - 59"X 126"
NATURAL | HONED POLISHED
BOOKMATCH
NATURAL | HONED POLISHED

12MM - 59"X 126" NR
NATURAL | HONED POLISHED
BOOKMATCH
NATURAL | HONED POLISHED



STORM GRIS



IN
STOCK

6MM - 59"X 126"
NATURAL

12MM - 59"X 126" NR
NATURAL

SENDA



IN
STOCK

6MM - 59"X 126"
NATURAL



COUNTERTOP + BACKSPLASH:
AZALAI


AZALAI



6MM - 59"X 126"
NATURAL

12MM - 59"X 126" NR
NATURAL

STORM NEGRO



6MM - 59"X 126"
NATURAL

12MM - 59"X 126" NR
NATURAL

CALACATTA CERVAIOLE



IN
STOCK

6MM - 63"X 126"
LUX

CALACATTA MACCHIA VECCHIA



IN
STOCK

6MM - 63"X 126"
LUX

BIANCO LASA



IN
STOCK

6MM - 63" X 126"
LUX

CALACATTA ORO



IN
STOCK

6MM - 63" X 126"
LUX

ICEBERG




12MM - 65"X 129" NR
SOFT | LUX

CALACATTA EXTRA



12MM - 65"X 129" NR
SOFT | LUX
BOOKMATCH
SOFT | LUX

20MM - 65"X 129" NR
SOFT | LUX



CALACATTA GRIS



12MM - 65"X 129" NR
SOFT | LUX


20MM - 65"X 129" NR
SOFT | LUX

LILAC GREY




12MM - 65"X 129" NR
SOFT | LUX

LABRADORITE




12MM - 65"X 129" NR
SOFT | LUX

ROMA IMPERIALE




12MM - 65"X 129" NR
NATURAL
BOOKMATCH
SOFT | LUX



PORT GOLD



12MM - 65"X 129"
SOFT
BOOKMATCH
SOFT | LUX





COUNTERTOP:
CEPPO DI GRE

CEPPO DI GRE FULLBODY



IN STOCK

12MM - 65"X 129" NR
NATURAL

20MM - 65"X 129" NR
NATURAL



ANIMA GRIGIO FULLBODY



IN STOCK

12MM - 65"X 129" NR
NATURAL

20MM - 65"X 129" NR
NATURAL



ANIMA BEIGE FULLBODY



12MM - 65"X 129" NR
NATURAL

20MM - 65"X 129" NR
NATURAL



RE TOUR FOG FULLBODY



12MM - 65"X 129" NR
NATURAL

20MM - 65"X 129" NR
NATURAL



STILL NLOW SAND



12MM - 65"X 129" NR
NATURAL

20MM - 65"X 129" NR
NATURAL

ROCKIN' DESERT



12MM - 65"X 129" NR
NATURAL

20MM - 65"X 129" NR
NATURAL




COUNTERTOP + CABINET
CLADDING:
ATLANTIS SMOKE

NORDIK STONE BLACK FULLBODY



12MM - 65"X 129" NR
NATURAL

20MM - 65"X 129" NR
NATURAL



ATLANTIS SMOKE



12MM - 65"X 129" NR
NATURAL

EME GREY



IN
STOCK

6MM - 48" X 106"
NATURAL


EME LIGHT GREY



IN
STOCK

6MM - 48" X 106"
NATURAL


EME ANTHRACITE



IN STOCK

6MM - 48" X 106"
NATURAL

ALLURE ANTRACITE



IN STOCK

6MM - 48" X 106"
NATURAL



FEATURE WALL:
ALLURE GREY

ALLURE LIGHT GREY



IN
STOCK

6MM - 48" X 106"
NATURAL

ALLURE GREY



IN
STOCK

6MM - 48" X 106"
NATURAL



TABLE:
HYPER SILVER
BACKSPLASH + COUNTERTOP:
STATUARIO VENATO

HYPER WHITE



12MM - 65"X 129" NR
NATURAL

20MM - 65"X 129" NR
NATURAL

HYPER SILVER



12MM - 65"X 129" NR
NATURAL

RESIN WHITE



12MM - 65"X 129" NR
NATURAL

20MM - 65"X 129" NR
NATURAL

RESIN GREY



12MM - 65"X 129" NR
NATURAL

20MM - 65"X 129" NR
NATURAL


RESIN SMOKE



12MM - 65"X 129" NR
NATURAL

20MM - 65"X 129" NR
NATURAL

FUSION



IN
STOCK

6MM - 39" X 98"
NATURAL

REBEL NIGHT



12MM - 65" X 129" NR
NATURAL

REBEL SILVER



12MM - 65"X 129" NR
NATURAL

REBEL BRONZE




12MM - 65"X 129" NR
NATURAL



COUNTERTOP:
WHITE LUX

WHITE



IN
STOCK

12MM - 65"X 129" NR
NATURAL | LUX

20MM - 65"X 129" NR
NATURAL | LUX

BLACK



IN
STOCK

12MM - 65"X 129" NR
NATURAL | LUX

20MM - 65"X 129" NR
NATURAL | LUX



COUNTERTOP:
NORDIK WOOD
BACKSPLASH:
CLASSIC MARQUINA

ARIZONA



IN
STOCK

6MM - 59"X 126"
NATURAL

12MM - 59"X 126"
NATURAL

NORDIK WOOD GOLD




12MM - 65"X 129" NR
NATURAL


20MM - 65"X 129" NR
NATURAL




DOUBLE STRAIGHT
SQUARED RIDGE




DOUBLE STRAIGHT
ROUNDED RIDGE



STRAIGHT
SQUARED RIDGE




ROUNDED
STRAIGHT RIDGE




SQUARED
RIDGE AT 45°



ROUNDED
RIDGE AT 45°



L-SHAPED
SQUARED RIDGE



L-SHAPED
ROUNDED RIDGE

COMPARATIVE TABLE

	PORCELAIN NAT./SOFT FINISH	PORCELAIN LUX FINISH	QUARTS AGGLOMERATES	LAMINATES AND WOOD	SOLID SURFACE	NATURAL STONES	STEEL
HYGIENIC	■ ■ ■	■ ■ ■	■ ■ ■	■	■ ■ ■	■	■ ■ ■
NON POROUS	■ ■ ■	■ ■ ■	■ ■ ■	■	■ ■ ■	■	■ ■ ■
SUITABLE FOR OUTDOORS	■ ■ ■	■ ■ ■	■	■	■ ■	■ ■	■ ■
RESISTANT TO HEAT AND HIGH TEMPERATURES	■ ■ ■	■ ■ ■	■ ■	■	■	■ ■	■ ■ ■
RESISTANT TO MOULD, MILDEW AND FUNGUS	■ ■ ■	■ ■ ■	■ ■ ■	■ ■	■ ■ ■	■	■ ■ ■
STAINPROOF	■ ■ ■	■ ■	■ ■	■ ■	■ ■	■	■ ■ ■
DETERGENT RESISTANT	■ ■ ■	■ ■	■ ■	■ ■	■	■	■
CHEMICAL RESISTANT	■ ■ ■	■ ■	■ ■	■	■ ■	■	■ ■
RESISTANT TO THERMAL SHOCK	■ ■ ■	■ ■ ■	■ ■	■	■ ■	■ ■ ■	■ ■ ■
FROST RESISTANT	■ ■ ■	■ ■ ■	■ ■ ■	■	■	■ ■	■ ■ ■
DAMPNESS RESISTANT	■ ■ ■	■ ■ ■	■ ■ ■	■	■ ■ ■	■	■ ■ ■
UV RESISTANT	■ ■ ■	■ ■ ■	■ ■	■	■	■ ■	■ ■ ■
SCRATCHPROOF AND ABRASION RESISTANT	■ ■ ■	■ ■	■ ■	■	■	■ ■	■
EASY TO CLEAN	■ ■ ■	■ ■ ■	■ ■ ■	■ ■	■ ■	■	■



RELIABILITY AND QUALITY ARE ALSO CONCRETELY SHOWN BY THE SPECIAL WARRANTY LASTING 25 YEARS.

*CERTAIN PRODUCTS MAY NOT APPLY

CLEANING AND MAINTENANCE

THESE PRODUCTS HAVE A SURFACE THAT'S RESISTANT TO STAINS, HYGIENIC AND EASY TO MAINTAIN; TO PRESERVE THESE CHARACTERISTICS, THOROUGH CLEANING MUST OCCUR AS SOON AS INSTALLATION IS COMPLETED, ELIMINATING ANY RESIDUES THAT MAY CREATE A FILM ON THE SURFACE OF THE PRODUCT CAPABLE OF RETAINING MORE DIRT.

INSUFFICIENT OR LATE REMOVAL OF GROUT, SILICONE AND ADHESIVES MAY LEAVE RESIDUES THAT ARE DIFFICULT TO REMOVE. INITIAL CLEANING MUST THEREFORE TAKE PLACE IMMEDIATELY AFTER INSTALLATION, USING ACID-BASED PRODUCTS, RUBBING HARD AND RINSING WELL WITH PLENTY OF WATER. ALL DETERGENTS AVAILABLE ON THE MARKET MAY BE USED WITH THE SOLE EXCEPTION OF PRODUCTS CONTAINING HYDROFLUORIC ACID.

STAIN TYPE	DETERGENT TYPE
OIL AND GREASE	ALKALINE CLEANERS
CHEWING GUM	
VINYL GLUE	
SILICONE	ALKALINE STAIN-REMOVERS OR SOLVENTS
ADHESIVE TAPE RESIDUES	
WAX PASTEL MARKS	
NICOTINE	ALKALINE STAIN-REMOVERS OR SOLVENTS
INK	
URINE AND VOMIT	
HAIR DYE	
BLOOD	
COFFEE	
WINE	
COCA COLA	
SUCTION-CUP MARKS	ALKALINE CLEANERS
RUST	ACID CLEANERS OR RUST CONVERTERS
CEMENT-SALTPETRE	ACID CLEANERS OR ACID DESCALER
LIMESCALE	
METAL MARKS	
PENCIL	ALKALINE CLEANERS
EPOXY FILLER	
VARNISH - PAINT	ALKALINE PAINT STRIPPERS OR SOLVENTS
GRAFFITI	ALKALINE CLEANERS
DRY GROUT LINES	
CANDLE WAX	SOLVENTS
BITUMEN	NEUTRAL CLEANERS
ROUTINE MAINTENANCE	
SCRATCH REMOVER WAX	ALKALINE STAIN-REMOVERS OR SOLVENTS

	STANDARD	DESCRIPTION OF TEST METHOD	TEST RESULTS
BREAKING STRENGTH	ISO 10545-4	Application of a load to the midline of the panel until breakage is obtained	6 mm: 1300 N 12 mm: 12000 20 mm: 20000 N
FLEXURAL STRENGTH TEST	ISO 10545-4	Application of a load to the midline of the panel until breakage is obtained	6 mm \geq 40 N/mm 12 mm \geq 47 N/mm ² 20 mm \geq 50 N/mm ²
Impact resistance	UNI EN ISO 14617-9	Resistance to dropping a 1 kg steel ball on a sample placed on a bed of sand.	COMPLIANT
FIRE REACTION	UNI EN 13501-1	FLOOR RADIANT PANEL TEST	Classe A1fl+A1
STAIN RESISTANCE	ISO 10545-14	see manufacturer's certificate	Classe 5 (Nat. + Soft) Classe 3-4 (Lux)
SCRATCH RESISTANT	UNI EN 15186:2012 met.B	Load > 10N	COMPLIANT (Nat. + Soft Surface)
ABRASION RESISTANCE	ISO 10545-6	<175 mm ³	COMPLIANT
FROST RESISTANCE	ISO 10545-12	REQUIRED	RESISTANT
WATER ABSORPTION	ISO 10545-3	< 0,5%	< 0,5%
RESISTANCE TO DAMP HEAT	UNI EN 12721:2013	55° to 100° cycles	COMPLIANT
RESISTANCE TO DRY HEAT	UNI EN 12722:2013	55° to 100° cycles	COMPLIANT
RESISTANCE TO TO COLD LIQUIDS	UNI EN 12720:2013	Period of contact 10s to 24 h	COMPLIANT
COLORS RESIST TO FADING	DIN 51094	Evaluation of the color changes following a 28 day exposure to ultra violet light	COMPLIANT
SURFACE QUALITY	ISO 10545-2	At least 95% of the tiles must be free from visible flaws	COMPLIANT
TENDENCY TO RETAIN DIRT	UNI 9300:2015	Carbon black staining agent	NO VISIBLE CHANGE



OTTAWA

613-244-4315

ottawa@eurotilestone.com

TORONTO

416-860-3615

toronto@eurotilestone.com

MONTREAL

514-289-8212

montreal@eurotilestone.com



www.eurotilestone.com